

PUBBLICAZIONI MAURO CRESTI 2003-2014

- Wu, X., Xiong, E., Wang, W., Scali, M., Cresti, M. Universal sample preparation method integrating trichloroacetic acid/acetone precipitation with phenol extraction for crop proteomic analysis. (2014) *Nature Protocols*, 9 (2), pp. 362-374.
- Parrotta, L., Cresti, M., Cai, G. Accumulation and post-translational modifications of plant tubulins. (2013) *Plant Biology*, . Article in Press.
- Parrotta, L., Cresti, M., Cai, G. Heat-shock protein 70 binds microtubules and interacts with kinesin in tobacco pollen tubes. (2013) *Cytoskeleton*, 70 (9), pp. 522-537.
- Del Duca, S., Faleri, C., Iorio, R.A., Cresti, M., Serafini-Fracassini, D., Cai, G. Distribution of transglutaminase in pear pollen tubes in relation to cytoskeleton and membrane dynamics. (2013) *Plant Physiology*, 161 (4), pp. 1706-1721.
- Bigliuzzi, J., Scali, M., Paolucci, E., Cresti, M., Vignani, R. DNA extracted with optimized protocols can be genotyped to reconstruct the varietal composition of monovarietal wines. (2012) *American Journal of Enology and Viticulture*, 63 (4), pp. 568-573.
- Cai, G., Faleri, C., Cresti, M., Di Sandro, A., Serafini-Fracassini, D., Del Duca, S. Pollen tube cytoskeleton, transglutaminases and self-incompatibility. (2012) *Acta Horticulturae*, 967, pp. 149-156.
- Rizzello, R., Zampieri, E., Vizzini, A., Autino, A., Cresti, M., Bonfante, P., Mello, A. Authentication of prized white and black truffles in processed products using quantitative real-time PCR. (2012) *Food Research International*, 48 (2), pp. 792-797.
- Scali, M., Vignani, R., Bigliuzzi, J., Paolucci, E., Bernini, A., Spiga, O., Niccolai, N., Cresti, M. Genetic differentiation between Cinta Senese and commercial pig breeds using microsatellite. (2012) *Electronic Journal of Biotechnology*, 15 (2), pp. 1-11.
- Milanesi, C., Bigliuzzi, I., Faleri, C., Caterina, B., Cresti, M. Microscope observations and DNA analysis of wine residues from Roman amphorae found in Ukraine and from bottles of recent Tuscan wines. (2011) *Journal of Archaeological Science*, 38 (12), pp. 3675-3680.
- Zhu, Y., Zhao, P., Wu, X., Wang, W., Scali, M., Cresti, M. Proteomic identification of differentially expressed proteins in mature and germinated maize pollen. (2011) *Acta Physiologiae Plantarum*, 33 (4), pp. 1467-1474.
- Cai, G., Faleri, C., Casino, C.D., Emons, A.M.C., Cresti, M. Distribution of callose synthase, cellulose synthase, and sucrose synthase in tobacco pollen tube is controlled in dissimilar ways by actin filaments and microtubules. (2011) *Plant Physiology*, 155 (3), pp. 1169-1190.
- McCue, A.D., Cresti, M., Feijó, J.A., Slotkin, R.K. Cytoplasmic connection of sperm cells to the pollen vegetative cell nucleus: Potential roles of the male germ unit revisited. (2011) *Journal of Experimental Botany*, 62 (5), pp. 1621-1631.
- Milanesi, C., Sorbi, A., Paolucci, E., Antonucci, F., Menesatti, P., Costa, C., Pallottino, F., Vignani, R., Cimato, A., Ciacci, A., Cresti, M. Pomology observations, morphometric analysis, ultrastructural study and allelic profiles of "olivastra Seggianese" endocarps from ancient olive trees (*Olea europaea* L.). (2011) *Comptes Rendus - Biologies*, 334 (1), pp. 39-49.

- Romagnoli, S., Faleri, C., Bini, L., Baskin, T.I., Cresti, M. Cytosolic proteins from tobacco pollen tubes that crosslink microtubules and actin filaments in vitro are metabolic enzymes. (2010) *Cytoskeleton*, 67 (12), pp. 745-754.
- Cai, G., Cresti, M. Microtubule motors and pollen tube growth-still an open question. (2010) *Protoplasma*, 247 (3), pp. 131-143.
- Cipriani, G., Spadotto, A., Jurman, I., Gaspero, G.D., Crespan, M., Meneghetti, S., Frare, E., Vignani, R., Cresti, M., Morgante, M., Pezzotti, M., Pe, E., Policriti, A., Testolin, R. The SSR-based molecular profile of 1005 grapevine (*Vitis vinifera* L.) accessions uncovers new synonymy and parentages, and reveals a large admixture amongst varieties of different geographic origin. (2010) *Theoretical and Applied Genetics*, 121 (8), pp. 1569-1585.
- Di Sandro, A., Del Duca, S., Verderio, E., Hargreaves, A.J., Scarpellini, A., Cai, G., Cresti, M., Faleri, C., Iorio, R.A., Hirose, S., Furutani, Y., Coutts, I.G.C., Griffin, M., Bonner, P.L.R., Serafini-Fracassini, D. An extracellular transglutaminase is required for apple pollen tube growth. (2010) *Biochemical Journal*, 429 (2), pp. 261-271.
- Parrotta, L., Cai, G., Cresti, M. Changes in the accumulation of α - and β -tubulin during bud development in *Vitis vinifera* L. (2010) *Planta*, 231 (2), pp. 277-291.
- Ebadi, A., Nikkhah, R., Cresti, M., Scali, M., Vignani, R., Bigliuzzi, J., Naghavi, R. Clonal selection within grapevine 'Askari' by molecular markers. (2009) *Acta Horticulturae*, 839, pp. 585-590.
- Milanesi, C., Vignani, R., Ciacci, A., Nardini, A., Valenti, M., Cantini, F., Ciampolini, F., Faleri, C., Cresti, M. Ultrastructural study of archaeological *Vitis vinifera* L. seeds using rapid-freeze fixation and substitution. (2009) *Tissue and Cell*, 41 (6), pp. 443-447.
- Milanesi, C., Baldi, F., Borin, S., Brusetti, L., Ciampolini, F., Iacopini, F., Cresti, M. Deterioration of medieval painting in the chapel of the Holy Nail, Siena (Italy) partially treated with Paraloid B72. (2009) *International Biodeterioration and Biodegradation*, 63 (7), pp. 844-850.
- Wang, W., Bianchi, L., Scali, M., Liu, L., Bini, L., Cresti, M. Proteomic analysis of β -1,3-glucanase in grape berry tissues. (2009) *Acta Physiologiae Plantarum*, 31 (3), pp. 597-604.
- Del Duca, S., Serafini-Fracassini, D., Bonner, P., Cresti, M., Cai, G. Effects of post-translational modifications catalysed by pollen transglutaminase on the functional properties of microtubules and actin filaments. (2009) *Biochemical Journal*, 418 (3), pp. 651-664.
- Cai, G., Cresti, M. Organelle motility in the pollen tube: A tale of 20 years. (2009) *Journal of Experimental Botany*, 60 (2), pp. 495-508.
- Persia, D., Cai, G., Del Casino, C., Faleri, C., Willemse, M.T.M., Cresti, M. Sucrose synthase is associated with the cell wall of tobacco pollen tubes. (2008) *Plant Physiology*, 147 (4), pp. 1603-1618.
- Cantini, C., Cimato, A., Autino, A., Redi, A., Cresti, M. Assessment of the Tuscan olive germplasm by microsatellite markers reveals genetic identities and different discrimination capacity among and within cultivars. (2008) *Journal of the American Society for Horticultural Science*, 133 (4), pp. 598-604.

- Vignani, R., Masi, E., Scali, M., Milanesi, C., Scalabrelli, G., Wang, W., Sensi, E., Paolucci, E., Percoco, G., Cresti, M. A critical evaluation of SSRs analysis applied to Tuscan grape (*Vitis vinifera* L.) germplasm. (2008) *Advances in Horticultural Science*, 22 (1), pp. 33-37.
- Claudio, M., Vignani, R., Ciampolini, F., Faleri, C., Moroni, A., Cresti, M. Ultrastructure and DNA sequence analysis of single fossil sediment cells. (2007) *Caryologia*, 60 (1-2), pp. 129-132.
- Mulcahy, D., Cresti, M. Hans Ferdinand Linskens. (2007) *Sexual Plant Reproduction*, 20 (4), pp. 167-169.
- Moscatelli, A., Ciampolini, F., Rodighiero, S., Onelli, E., Cresti, M., Santo, N., Idilli, A. Distinct endocytic pathways identified in tobacco pollen tubes using charge nanogold. (2007) *Journal of Cell Science*, 120 (21), pp. 3804-3819.
- Spinelli, F., Vanneste, J.L., Ciampolini, F., Cresti, M., Rademacher, W., Geider, K., Costa, G. Potential and limits of acylcyclohexanediones for the control of blossom blight in apple and pear caused by *Erwinia amylovora*. (2007) *Plant Pathology*, 56 (4), pp. 702-710.
- Romagnoli, S., Cai, G., Faleri, C., Yokota, E., Shimmen, T., Cresti, M. Microtubule- and actin filament-dependent motors are distributed on pollen tube mitochondria and contribute differently to their movement. (2007) *Plant and Cell Physiology*, 48 (2), pp. 345-361.
- Cai, G., Cresti, M. The microtubular cytoskeleton in pollen tubes: Structure and role in organelle trafficking. (2006) *Plant Cell Monographs*, 3, pp. 157-175.
- Wang, W., Milanesi, C., Faleri, C., Cresti, M. Localization of group-1 allergen Zea m 1 in the coat and wall of maize pollen. (2006) *Acta Histochemica*, 108 (5), pp. 395-400.
- Milanesi, C., Vignani, R., Ciampolini, F., Faleri, C., Cattani, L., Moroni, A., Arrighi, S., Scali, M., Tiberi, P., Sensi, E., Wang, W., Cresti, M. Ultrastructure and DNA sequence analysis of single Concentricystis cells from Alta Val Tiberina Holocene sediment. (2006) *Journal of Archaeological Science*, 33 (8), pp. 1081-1087.
- Wang, W., Vignani, R., Scali, M., Cresti, M. A universal and rapid protocol for protein extraction from recalcitrant plant tissues for proteomic analysis. (2006) *Electrophoresis*, 27 (13), pp. 2782-2786.
- Milanesi, C., Baldi, F., Borin, S., Vignani, R., Ciampolini, F., Faleri, C., Cresti, M. Biodeterioration of a fresco by biofilm forming bacteria. (2006) *International Biodeterioration and Biodegradation*, 57 (3), pp. 168-173.
- Huang, J., Chen, F., Del Casino, C., Autino, A., Shen, M., Yuan, S., Peng, J., Shi, H., Wang, C., Cresti, M., Li, Y. An ankyrin repeat-containing protein, characterized as a ubiquitin ligase, is closely associated with membrane-enclosed organelles and required for pollen germination and pollen tube growth in lily. (2006) *Plant Physiology*, 140 (4), pp. 1374-1383.
- Milanesi, C., Baldi, F., Vignani, R., Ciampolini, F., Faleri, C., Cresti, M. Fungal deterioration of medieval wall fresco determined by analysing small fragments containing copper. (2006) *International Biodeterioration and Biodegradation*, 57 (1), pp. 7-13.
- Cai, G., Del Casino, C., Romagnoli, S., Cresti, M. Pollen cytoskeleton during germination and tube growth. (2005) *Current Science*, 89 (11), pp. 1853-1860.
- Spinelli, F., Ciampolini, F., Cresti, M., Geider, K., Costa, G. Influence of stigmatic morphology on flower colonization by *Erwinia amylovora* and *Pantoea agglomerans*. (2005) *European Journal of Plant Pathology*, 113 (4), pp. 395-405.

- Stpiczyńska, M., Milanesi, C., Faleri, C., Cresti, M. Ultrastructure of the nectary spur of *Platanthera chlorantha* (Custer) Rchb. (Orchidaceae) during successive stages of nectar secretion. (2005) *Acta Biologica Cracoviensia Series Botanica*, 47 (2), pp. 111-119.
- Moscatelli, A., Scali, M., Prescianotto-Baschong, C., Ferro, M., Garin, J., Vignani, R., Ciampolini, F., Cresti, M. A methionine synthase homolog is associated with secretory vesicles in tobacco pollen tubes. (2005) *Planta*, 221 (6), pp. 776-789.
- Capparelli, R., Amoroso, M.G., Palumbo, D., Iannaccone, M., Faleri, C., Cresti, M. Two plant puroindolines colocalize in wheat seed and in vitro synergistically fight against pathogens. (2005) *Plant Molecular Biology*, 58 (6), pp. 857-867.
- Cai, G., Ovidi, E., Romagnoli, S., Vantard, M., Cresti, M., Tiezzi, A. Identification and characterization of plasma membrane proteins that bind to microtubules in pollen tubes and generative cells of tobacco. (2005) *Plant and Cell Physiology*, 46 (4), pp. 563-578.
- Pónya, Z., Kristóf, Z., Ciampolini, F., Faleri, C., Cresti, M. Structural change in the endoplasmic reticulum during the in situ development and in vitro fertilisation of wheat egg cells. (2004) *Sexual Plant Reproduction*, 17 (4), pp. 177-188.
- Masi, E., Vignani, R., Sensi, E., Scali, M., Cresti, M., Boselli, M. Sequence analysis of a microsatellite and its flanking regions in intraspecific hybrids of grapevine (*Vitis vinifera* L.) (2004) *Vitis - Journal of Grapevine Research*, 43 (2), pp. 69-73.
- Wang, W., Vignani, R., Scali, M., Sensi, E., Tiberi, P., Cresti, M. Removal of lipid contaminants by organic solvents from oilseed protein extract prior to electrophoresis. (2004) *Analytical Biochemistry*, 329 (1), pp. 139-141.
- Wang, W., Scali, M., Vignani, R., Milanesi, C., Petersen, A., Sari-Gorla, M., Cresti, M. Male-sterile mutation alters *Zea m 1* (β -expansin 1) accumulation in a maize mutant. (2004) *Sexual Plant Reproduction*, 17 (1), pp. 41-47.
- Wang, W., Vignani, R., Scali, M., Sensi, E., Cresti, M. Post-translational modifications of α -tubulin in *Zea mays* L. are highly tissue specific. (2004) *Planta*, 218 (3), pp. 460-465.
- Mazzucato, A., Olimpieri, I., Ciampolini, F., Cresti, M., Soressi, G.P. A defective pollen-pistil interaction contributes to hamper seed set in the parthenocarpic fruit tomato mutant. (2003) *Sexual Plant Reproduction*, 16 (4), pp. 157-164.
- Wang, W., Scali, M., Vignani, R., Spadafora, A., Sensi, E., Mazzuca, S., Cresti, M. Protein extraction for two-dimensional electrophoresis from olive leaf, a plant tissue containing high levels of interfering compounds. (2003) *Electrophoresis*, 24 (14), pp. 2369-2375.
- Romagnoli, S., Cai, G., Cresti, M. Kinesin-like proteins and transport of pollen tube organelles. (2003) *Cell Biology International*, 27 (3), pp. 255-256.
- Scali, M., Vignani, R., Moscatelli, A., Jellbauer, S., Cresti, M. Molecular evidence for a cytoplasmic dynein heavy chain from *Nicotiana tabacum* L. (2003) *Cell Biology International*, 27 (3), pp. 261-262.
- Moscatelli, A., Scali, M., Vignani, R., Onelli, E., Cresti, M. Dynein heavy chain (DHC)-related polypeptides during pollen tube growth. (2003) *Cell Biology International*, 27 (3), pp. 237-238.

Sensi, E., Vignani, R., Scali, M., Masi, E., Cresti, M. DNA fingerprinting and genetic relatedness among cultivated varieties of *Olea europaea* L. estimated by AFLP analysis. (2003) *Scientia Horticulturae*, 97 (3-4), pp. 379-388.

Romagnoli, S., Cai, G., Cresti, M. In vitro assays demonstrate that pollen tube organelles use kinesin-related motor proteins to move along microtubules. (2003) *Plant Cell*, 15 (1), pp. 251-269.